

Bid Document

Bid Details	
Bid End Date/Time	23-12-2020 17:00:00
Bid Opening Date/Time	23-12-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	65 (Days)
Ministry/State Name	Ministry Of Health And Family Welfare
Department Name	Department Of Health And Family Welfare
Organisation Name	Jawaharlal Institute Of Postgraduate Medical Education And Research (jipmer)
Office Name	Jawaharlal Institute Of Postgraduate Medical Education And Research
Total Quantity	200
Item Category	Smooth bore Circuits- Anesthesia Breathing Circuits
Bidder Turnover (Last 3 Years)	3 Lakh (s)
OEM Average Turnover (Last 3 Years)	28 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	13992

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	10.00
Duration of ePBG required (Months).	3

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

DIRECTOR JIPMER

Jawaharlal Institute of Postgraduate Medical Education and Research, Department of Health and Family Welfare, Jawaharlal Institute of Postgraduate Medical Education and Research (JIPMER), Ministry of Health and Family Welfare (The Director Jipmer)

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar

Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Smooth Bore Circuits- Anesthesia Breathing Circuits (200 pieces)

(Minimum 20% Local content required for MII compliance)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERAL	Type of Circuit	Smooth bore circuit -for general purposes	*
	Usage	Paediatrics	Paediatrics
	Usable for spontaneous and controlled ventilation	Yes	*
	Sterility	sterile	*
	Utility	Single use- disposable	Single use- disposable
	Method of Sterilization	ETO	*
	Shelf Life(years)	5	*
	Autoclavable	Yes	*
	The product should have shelf life of at least 2/3rd of the total shelf life at the time of supply	Yes	*
DIMENSIONS	Corrugated Tube ID(mm)	15	15
	Corrugated Tube length (mm)	1500	1000, 1500
	Fresh Gas flow tube dia (mm)	15	15
	Fresh Gas flow tube length (mm)	1500	1500
	Reservoir bag size to allow respiratory monitoring and /or assistance (ml)	500	500 - 3000
MATERIAL	Material of tubes (Light weight, Medical Grade, Non-toxic, Latex Free)	-	*
	Kink resistant FGF tube	Yes	*
	Material of the reservoir bag	NA	Antistatic rubber, Neoprene, Latex free, NA
CONSTRUCTION	Minimum dead space and low resistance to flow	Yes	*

	Reservoir bag	Not available	Available, Not available
	Reservoir bag type	NA	Open Tail, Spring loaded valve, NA
	Parallel entry of fresh Gas line at the patient connection	Yes	*
	FGF required flow rate to prevent rebreathings	Yes	*
	FGF tube runs coaxially inside the outer transparent corrugated tubing	Yes	*
	Fixed elbow and luer lock port for safe monitoring at the patient end	Yes	Yes
	Expiratory valve at the patient end	Yes	Yes, No
	Double swivel elbow elastomeric cap at patient end	Yes	Yes
	Accurate and adjustable pressure limiting valve with safety feature	Yes	Yes, No
	Pressure adjustment range of pressure limiting value (kg/cm²)	2	0.1 - 5
	Suitable adaptors to connect to various parts of breathing system, flow meter etc	Yes	Yes
	Y-piece connector with port	Yes	Yes
	Humidification limb	Yes	Yes
	Facility for incorporating inline Nebulizer/MDI	Yes	Yes
FUNCTIONAL	Delivery of anaesthetic gases and vapours	Yes	*
	Oxygenation of the patient	Yes	*
	CO ₂ elimination	Yes	*
PACKING	Type of packing	Single, individually packed in soft wrap	Single, individually packed in soft wrap
CERTIFICATION	Tissue Implantation testing certificate to be provided	Yes	*
	Submission of Test Report from Central GOVT/NABL/ILAC accredited Lab or manufacturer's inhouse Test Report as a proof of	Yes	*

	conformity to the declared specification at the time of supply		
	Product conformity certificate is to be provided to the buyer	Yes	*
	Certification available	-	*
	Availability of valid Drug License	Yes	*
	Drug License No	-	*
	Drug License Date	-	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Nanda Kishore Maroju	605006,Jawaharlal Institute of Postgraduate Medical Education and Research, Dhanvantari Nagar, Puducherry	200	15

Bid Specific Additional Terms and Conditions

- 1.Authorised Service Centre within the state of Odisha, along with a dedicated contact person with telephone number for technical solution in a fast track basis at this institution as and when required basis.
- 2.Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
- 3.If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
- 4.Make in india specific authorisation certificate needs to be enclosed.
- 5.Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- 6.Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 7.OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
- 8.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 9.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 10.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 11.Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and

cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
12.**NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---