

**JAWAHARLAL INSTITUTE OF POST GRADUATE MEDICAL EDUCATION & RESEARCH
(JIPMER)**

*(An institution of National Importance under the Ministry of Health & Family Welfare)
Dhanvantari Nagar, Puducherry- 605006*

DEPARTMENT OF OBSTETRICS AND GYNAECOLOGY

No: JIP/Obg&Gyn /IM-2023/ HOD/03.

Dated: 03-05-2023

Sub: Supply of ELISA Kit & Consumables– Limited Tender Invited – Reg.

Ref: Project titled “Plasma decorin levels in the second trimester of pregnancy as a biomarker predictor of preeclampsia: a nested case-control study” Ref no. **JIP/Obg&Gyn /IM-2023/ HOD/03**

Rates should be quoted only for the items which are available in stock and can be supplied immediately on receipt of order.

1. Only GST is applicable
2. No insurance charges are payable as per the rules in the Government. As such, the firms before quoting should take into considerations all the risks in the transit and then furnish limited tender which should cover insurance charges also. If any point is raised as regards insurance charges after orders are issued, the same will not be entertained and the firms thereafter should affect the supply at their own cost.
3. Rates should be quoted F.O.R Pondicherry. Extra packing, forwarding charges etc. should not be quoted.
4. Delivery is required to be done promptly on issue of supply order. Tenders should please state the guarantee delivery period they can offer. As delivery date is essence of the contract, this should be strictly adhered to by the successful tenderer.
5. No supply, which is not according to the specifications and not meeting our requirement, will be accepted.
6. The Director shall have the right of rejecting the limited tender in whole or part without assigning any reason thereof.
7. **Only Sigma Aldrich/ R and D system/ Biosource/ Roche/antibody.com/Palmer Erkin brand will be accepted for the tendered items.**
8. **The company must attach copy/link of product citation in PubMed indexed journals.**
9. **The company should help assist in trouble shooting/in calibration**
10. The firms participating in the limited tender must have registered their firms with purchase section of JIPMER.
11. Limited tender quotations should be sent only by/Registered Post/Speed Post/Courier. Hand quotations are not accepted.
12. Purchase preference will be given to MSE and Vendors of products that fall in “Make in India” criteria as per prevailing Govt. Orders. Purchase preference is only for manufacturing MSE and not for trading MSE.
13. In case the manufacturer falling in MSE category they have to submit the self-attested copy of Udyogaadhaar certificate along with the bid documents for claiming MSE Benefits failing which purchase preference will not be given
14. Vendors claiming “Make in India” purchase preference must submit self-certified declaration indicating the percentage of local content in the product offered and the place in India where the local content value addition was carried out along with the bid documents failing which purchase shall not be given.

Please furnish your limited tender in a sealed cover superscripting as

Limited tender for supply of ELISA Kit & Consumables.

JIP/Obg&Gyn /IM-2023/ HOD/03. Dated 03/05/2023

Dr.Gowri Dorairajan.M.D.,D.N.B.,MNAMS,FICOG,

Professor and Head of Unit,Department of Obstetrics and Gynaecology, Due Date: 03-05-2023

Limited tender should reach this office **on or before 10.05-2023 by 10:00 am.** Limited tender received after the due date will summarily be rejected.

Yours faithfully,

Govind Rajan

(For DIRECTOR)

आचार्य एवं अध्यक्ष / Professor & Head
प्रसूति एवं स्त्रीरोग विज्ञान विभाग
Department of Obstetrics & Gynaecology
जिपमेर पुदुच्चेरी / JIPMER, Puducherry - 605 006.

Annexure A

Only Abcam/ Sigma Aldrich/ Invitrogen/ Agilent Dako Brands will be considered.

Sl No	Description of the Kits	Specification	Qty Required	Cost per kit +GST %
1	Human Decorin ELISA kit	96 well Elisa Kits Un- coated	03 kits	
2	Micropipette tips of 20-200 microlitre capacity	500 nos. per pack	04 packets	
3	Micropipette tips of 10-1000 microlitre capacity	1000 per pack	01 packets	

Note:

1. The Kits Should be supplied with long expiry. Short expiry kit will be rejected
2. The Selected firm must supply the kits in a Staggered manner as per the instruction of the Project Investigator

Gowri Dorairajan

Dr.Gowri Dorairajan
Professor & Head
Dept. of Obst & Gynae
JIPMER

आचार्य एवं अध्यक्ष / Professor & Head
प्रसूति एवं स्त्रीरोग विज्ञान विभाग
Department of Obstetrics & Gynaecology
जिपमेर पुदुच्चेरी / JIPMER, Puducherry - 605 006.